



Advanced Controls & Distribution, LLC
20800 Route 19 • Cranberry Twp., PA 16066
Ph: 724-741-8200 • Fax: 724-741-8201 • www.acdist.com • Twitter: @ACD_Dist

TECHNOTE 1_13_1

Operating System Update for SIMATIC S7-1200 CPU Firmware V3 Update V3.0.2

The performance features supported by the firmware V3.0.2 of the S7-1200 CPU include:

- Enhancements in the field of web server security.
- Improved startup characteristics of the V3.0 CPU. **After repeated project downloads or change of the IP address in RUN after a Power Cycle, the CPUs can change to the factory Test Mode.** If a CPU starts in Test Mode, the hardware must be returned to the factory for repair. The CPU will indicate the Test Mode by permanent illumination of the yellow RUN/STOP LED, permanent illumination of the red ERROR LED and blinking of the yellow MAINT LED. Firmware Update V3.0.2 corrects this problem.

Note: The firmware of a V3 S7-1200 CPU can be updated via the integrated web server of the CPU or via FW-Update memory card. To perform the update via the web server of the S7-1200 CPU, the web server must be enabled. After a successful login the firmware can be updated via the menu item - "Update Firmware".

S7-1200 V3.0.2 Firmware downloads can be found at:
<http://support.automation.siemens.com/WW/view/en/64850727>

Please contact ACD technical support if you require more information.

"ACD is a dynamic, technology leading, full-line industrial distributor that values each employee and customer. Our mission is to provide both superior customer service and exceptional technical support in order to ensure the success of our customers."